



SpacePilot™

Navigate Your 3D World™

Powerful functionality. Graceful styling.

SpacePilot™ is a true breakthrough in the world of user interface devices. Using SpacePilot together with a mouse engages both your hands in a natural, intuitive work style. One hand drives the SpacePilot, positioning your model, then rotating, panning and zooming in one single, fluid motion. Your mouse hand can simultaneously edit the model or select menu items.

50% fewer mouse clicks. 30% more productivity.

Adaptive sensing technology gives you the functionality you want, the instant you want it. Commands appear on the LCD and update dynamically when you switch applications or work modes within an application. Plus, an array of extendable, programmable speed keys—including Control, Fit and Modifier (Esc, Shift, Ctrl and Alt) and View—help you stay immersed in your design.

A virtual extension of your mind.

SpacePilot connects you to the 3D design process. Its optical sensors, finely-tuned springs and ergonomic design combine to deliver unprecedented control and fewer distractions.

Partial list of the 100+ supported applications

Design & Modeling

- AutoCAD
- Autodesk Inventor
- CATIA
- Google SketchUp
- Pro/ENGINEER
- NX
- Solid Edge
- SolidWorks

Digital Content Creation


- Autodesk 3ds Max
- Autodesk AliasStudio
- Autodesk Maya
- form•Z
- SOFTIMAGE|XSI

Visualization Tools

- Google Earth
- Autodesk DWF Viewer
- Autodesk Design Review
- SolidWorks eDrawings
- Dassault Systemes XML player
- 3Dconnexion Picture Viewer

Visit www.3dconnexion.com for a complete listing of supported applications.

Simply push, pull, twist and tilt the controller cap for responsive control.



Pan Right/Left



Pan Up/Down



Tilt



Spin



Roll



Zoom In/Out

Specifications

Navigation control

Advanced 6 degrees-of-freedom optical sensor

Device speed

Adjustable to preference

Palmrest

Sculpted soft coat ergonomic form

Function keys

21+ programmable speed keys, 15 reprogrammable

LCD

Viewing Area: 102.4 x 30.2 mm (W x H)

Active Area: 93.4 x 26.2 mm (W x H)

Display Format: 240 x 64 mm (W x H)

Interface type

USB

Weight

850 g

Dimensions

236 x 143 x 53 mm (L x W x H)

Warranty

3 years

EMC & safety standards

FCC, CE, VCCI, RRL, WHQL, CTICK, UL

System Requirements

- Intel Pentium 4/III or AMD/Athlon processor based system or greater
- Windows: 140 Megabytes free disk space for driver and plug-in installation
- UNIX/Linux: 2 Megabytes free disk space for driver installation
- USB 1.1 or 2.0

Operating Systems Supported

- Windows Vista [x86/x64]
- Windows XP [x86/x64]
- Windows 2000
- UNIX (HP-UX 11, IBM AIX 5.2, Sun Solaris 8 or higher)
- Linux (Redhat Enterprise Linux WS 3, SuSE 9.0 or higher)

UK & Ireland

3Dconnexion
T: 01952 24 36 29
F: 01952 25 10 58
E: uksales@3dconnexion.com

Educational

shop.3dconnexion.eu

Northern Europe

3Dconnexion
T: +44.1242.243 440
F: +44.1242.243 445
E: nesales@3dconnexion.com

EMEA

3Dconnexion GmbH
Seefeld, Germany
T: +49 (0) 8152 9919 0
F: +49 (0) 8152 9919 50
E: info@3dconnexion.com

Americas

3Dconnexion, Inc.
San Jose, CA
T: +1.408.376.2500
F: +1.408.376.2525
E: info@3dconnexion.com



3dconnexion
A LOGITECH COMPANY